

References

Abend, A.G. and Smith, T.D. 1997. Differences in ratios of stable isotope ratios of carbon and nitrogen between long-finned pilot whales (*Globicephala melas*), and their primary prey in the western North Atlantic. *Int. Counc. Explor. Sea J. Mar. Sci.* 54(3):500-503.
doi: <http://dx.doi.org/10.1006/jmsc.1996.0192>

Abend, A.G. and Smith, T.D. 1999. Review of distribution of the long-finned pilot whale (*Globicephala melas*) in the North Atlantic and Mediterranean. NOAA/NMFS Tech. Memo. NMFS-NE 117. 22 pp.
<http://www.nefsc.noaa.gov/publications/tm/tm117/tm117.pdf>

Aguilar, A., Jover, L. and Borrell, A. 1993. Heterogeneities in organochlorine profiles of Faroese longfinned pilot whales: indication of segregation between pods? *Rep. int. Whal. Commn.* (special issue 14):359-368.

Aguilar de Soto, N., Johnson, M.P., Madsen, P.T., Diaz, F., Domínguez, I., Brito, A. and Tyack, P. 2008. Cheetahs of the deep sea: deep foraging sprints in short-finned pilot whales off Tenerife (Canary Islands). *Journal of Animal Ecology*. 77:936–947. doi: <http://dx.doi.org/10.1111/j.1365-2656.2008.01393.x>

[AMAP] Arctic Monitoring and Assessment Programme. 2004. AMAP assessment 2002 – Persistent organic pollutants in the Arctic. Oslo, Norway. 310pp. Available at <http://www.amap.no>

[AMAP] Arctic Monitoring and Assessment Programme. 2005. AMAP assessment 2002: Heavy metals in the Arctic. Oslo, Norway. 265 pp. Available at <http://www.amap.no>

Amos, B., Barrett, J. and Dover, G.A. 1991. Breeding behaviour of pilot whales revealed by DNA fingerprinting. *Heredity*. 67(1):49-55.

Amos, B., Bloch, D., Desportes, G., Majerus, T.M.O., Bancroft, D.R., Barrett, J.A. and Dover, G.A. 1993a. A review of molecular evidence relating to social organisation and breeding system in the long-finned pilot whale. *Rep. int. Whal. Commn.* (special issue 14):209-217.

Amos, B., Schlotterer, C., and Tautz, D. 1993b. Social structure of pilot whales revealed by analytical DNA profiling. *Science*. 260:670–672.

doi: <http://dx.doi.org/10.1126/science.8480176>

Andersen, L.W. 1990. The population structure and sex determination of the long-finned pilot whale, *Globicephala melas*, and the harbour porpoise, *Phocoena phocoena*. Ph.D thesis. Aarhus University, Denmark. 50pp.

Andersen, L.W. 1993. Further studies on the population structure of the long-finned pilot whale, *Globicephala melas*, of the Faroe Islands. *Rep. int. Whal. Commn.* (special issue 14):219-231.

Andersen, L.W. and Siegismund, H.R. 1994. Genetic evidence for migration of males between schools of the long-finned pilot whale, *Globicephala melas*, of the Faroe Islands. *Marine Ecology Progress Series*. 105:1-7. URL: <http://www.int-res.com/articles/meps/105/m105p001.pdf>

Anonym. 2013. Whaling in the Faroe Islands - In brief. available at <http://www.whaling.fo/Default.aspx?ID=6840>

Antunes, R., Kvadsheim, P.H., Lam, F.P.A., Tyack, P.L., Thomas, L., Wensveen, P.J. and Miller, P.J.O. 2014. High thresholds for avoidance of sonar by free-ranging long-finned pilot whales (*Globicephala melas*). *Mar. Pollut. Bull.* <http://dx.doi.org/10.1016/j.marpolbul.2014.03.056>

Aoki, K., Sakai, M., Miller, P.J.O., Visser, F., Sato, K. 2013. Body contact and synchronous diving in long-finned pilot whales. *Behavioural Processes*. 99: 12– 20.

doi: <http://dx.doi.org/10.1016/j.beproc.2013.06.002>

Arnold, G.P. 1979. Squid - A review of their biology and fisheries. Laboratory leaflet nr. 48. Lowestoft. 37pp.

Balbuena, J.A., Aznar, F.J., Fernández, M. and Raga, J.A. 1995. Parasites as indicators of social structure and stock identity of marine mammals. p. 133-139. In: Blix, A.S., Walløe, L. and Ulltang, Ø. (eds.); *Whales, seals, fish and man*. Elsevier Science B.V., Amsterdam. 720pp.

Balbuena, J.A. and Raga, J.A. 1991. Ecology and host relationships of the whale-louse *Isocyamus delphini* (Amphipoda: Cyamidae) parasitizing long-finned pilot whales (*Globicephala melas*) off the Faroe Islands (Northeast Atlantic). *Can. J. Zool.* 69:141-145. doi: <http://dx.doi.org/10.1139/z96-014>

Balbuena, J.A. and Raga, J.A. 1993. Intestinal helminth communities of the long-finned pilot whale (*Globicephala melas*) off the Faroe Islands. *Parasitology.* 106:327-333. doi: <http://dx.doi.org/10.1017/S0031182000075156>

Balbuena, J.A. and Raga, J.A. 1994. Intestinal helminths as indicators of segregation and social structure of pods of long-finned pilot whales (*Globicephala melas*) off the Faroe Islands. *Can. J. Zool.* 72:443-448. doi: <http://dx.doi.org/10.1139/z03-127>

Baird, R.W., Borsani, J.F., Hanson, M.B. and Tyack, P. 2002. Diving and night-time behaviour of long-finned pilot whales in the Ligurian Sea. *Marine Ecology Progress Series.* 237:301-305. URL: <http://www.int-res.com/articles/meps2002/237/m237p301.pdf>

Bernard, H. J. and Reilly, S. B. 1999. Pilot whales *Globicephala* Lesson, 1828. In: S. H. Ridgway and R. Harrison (eds), Handbook of marine mammals, Vol. 6: The second book of dolphins and the porpoises, pp. 245-279. Academic Press, San Diego, CA, USA.

Bloch, D. 1998. A review of marine mammals observed caught or stranded over the last two centuries in Faroese Waters. *Shetland Sea Mamm. Rep.* 1997:15-37.

Bloch, D. 2007. *Grindehvalen og Færøernes grindefangst. Føroya Náttúrugripasavn, Tórshavn Færøerne.* 52pp.

Bloch, D. 1994. Pilot whales in the North Atlantic. Age, growth and social structure in Faroese grinds of the long-finned pilot whale, *Globicephala melas*. Doctoral dissertation, Lund University, Sweden.

Bloch, D. and Lastein, L. 1993. Morphometric segregation and long-finned pilot whale in the eastern and western North Atlantic. *Ophelia.* 38:55-68. doi: <http://dx.doi.org/10.1080/00785326.1993.10429924>

Bloch, D., and Lastein, L. 1995. Modelling the school structure of pilot whales in the Faroe Islands, 1832-1994. p. 499-508. In: Blix, A.S., Walløe, L. and Ulltang, U. (eds.). *Whales, seals, fish and man*. Elsevier Science B.V., Amsterdam. 720pp.

Bloch, D., Desportes, G., Hoydal, K. and Jean, P. 1990. Pilot whaling in the Faroe Islands: July 1986–July 1988. *North Atlantic Studies*. 2:36-44.

Bloch, D., Desportes, G., Mouritsen, R., Skaaning, S. and Stefansson, E. 1993a. An introduction to studies on the ecology and status of the long-finned pilot whale (*Globicephala melas*) off the Faroe Islands, 1986-1988. *Rep. int. Whal. Commn.* (Special Issue 14):1-32.

Bloch, D., Heide-Jørgensen, M.P., Stefansson, E., Mikkelsen, B., Ofstad, L.H., Dietz, R. and Andersen, L. 2003. Short-term movements of long-finned pilot whales *Globicephala melas* around the Faroe Islands. *Wildl. Biol.* 9:47-58.

URL: http://www.researchgate.net/publication/228898329_Short-term_movements_of_long-finned_pilot_whales_Globicephala_melas_around_the_Faroe_Islands/file/d912f50a365cbcd158.pdf

Bloch, D., Lockyer, C. and Zachariassen, M. 1993b. Age and growth parameters of the long-finned pilot whale off the Faroe Islands. *Rep. int. Whal. Commn.* (Special Issue 14):163-208.

Bloch, D., Zachariassen, M. and Zachariassen, P. 1993c. Some external characters of the long-finned pilot whale off the Faroe Islands and a comparison with the short-finned pilot whale. *Rep. int. Whal. Commn.* (Special Issue 14):117-135.

Borrel, A. 1993. PCB and DDTs in blubber of cetaceans from the northeastern North Atlantic. *Marine Pollution Bulletin*. 16:146-151. doi: [http://dx.doi.org/10.1016/0025-326X\(93\)90125-4](http://dx.doi.org/10.1016/0025-326X(93)90125-4)

Borrel, A. and Aguilar, A. 1993. DDT and PCB pollution in blubber and muscle of long-finned pilot whales from the Faroe Islands. *Rep. int. Whal. Commn.* (special issue 14):351-358.

Borrell, A., Bloch, D. and Desportes, G. 1995. Age trends and reproductive transfer of organochlorine compounds in long-finned pilot whales from the Faroe Islands. *Environmental Pollution*. 88:283-92. doi: [http://dx.doi.org/10.1016/0269-7491\(95\)93441-2](http://dx.doi.org/10.1016/0269-7491(95)93441-2)

Buckland, S.T., Bloch, D., Cattanach, K.L., Gunnlaugsson, T., Hoydal, K., Lens, S. and Sigurjónsson, J. 1993. Distribution and abundance of long-finned pilot whales in the North Atlantic, estimated from NASS-1987 and NASS-89 data. *Rep. int. Whal. Commn.* (Special Issue 14):33-50.

Bustamante, P., Caurant, F., Fowler, S.W. and Miramand, P. 1998. Cephalopods as a vector for the transfer of cadmium to top marine predators in the north-east Atlantic Ocean. *Sci. Total Environ.* 220:71–80.
doi: [http://dx.doi.org/10.1016/S0048-9697\(98\)00250-2](http://dx.doi.org/10.1016/S0048-9697(98)00250-2)

Canadas, A. and Sagarminaga, R. 2000. The northeastern Alboran Sea, an important breeding and feeding ground for long-finned pilot whale (*Globicephala melas*) in the Mediterranean Sea. *Mar. Mammal Sci.* 16(3):513-529.
doi: <http://dx.doi.org/10.1111/j.1748-7692.2000.tb00948.x>

Caurant, F., Amiard-Triquet, C. and Amiard J.-C. 1993. Factors influencing the accumulation of metals in pilot whales (*Globicephala melas*) off the Faroe Islands. *Rep. Int. Whal. Commn.* (special issue 14):369-390.

Caurant F, Amiard-Triquet C. 1995. Cadmium contamination in pilot whales *Globicephala melas*: source and potential hazard to the species. *Mar. Pollut. Bull.* 30:207–10. doi: [http://dx.doi.org/10.1016/0025-326X\(94\)00126-T](http://dx.doi.org/10.1016/0025-326X(94)00126-T)

Caurant F, Amiard JC, Amiard-Triquet C, Sauriau PG. 1994. Ecological and biological factors controlling the concentrations of trace elements (As, Cd, Cu, Hg, Se, Zn) in delphinids *Globicephala melas* from the North Atlantic Ocean. *Mar. Ecol. Prog. Ser.* 103:207–19.

Caurant, F., Navarro, M. and Amiard, J.C. 1996. Mercury in pilot whales: possible limits to the detoxification process. *Sci. Total Environ.* 186:95–104. doi: [http://dx.doi.org/10.1016/0048-9697\(96\)05087-5](http://dx.doi.org/10.1016/0048-9697(96)05087-5)

Choi, A.L., Weihe, P., Budtz-Jørgensen, E., Jørgensen, P.J., Salonen, J.K., Tuomainen, T.-P., Murata, K., Nielsen, H.P., Petersen, M.S., Askham, J. and Grandjean, P. 2009. Methylmercury exposure and adverse cardiovascular effects in Faroese whaling men. *Environ Health Perspect.* 117:367–372.
doi: <http://dx.doi.org/10.1289/ehp.11608>

Cox, T.M., Ragen, T.J., Read, A.J., Vos, E., Baird, R. W., Balcomb, K., Barlow, J., Caldwell, J., Cranford, T., Crum, L., D'Amico, A., D'Spain, G., Fernández, A., Finneran, J., Gentry, R., Gerth, W., Gulland, F., Hildebrand, J., Houser, D., Hullar, T., Jepson, P. D., Ketten, D., MacLeod, C. D., Miller, P., Moore, S., Mountain, D., Palka, D., Ponganis, P., Rommel, S., Rowles, T., Taylor, B., Tyack, P., Wartzok, D., Gisiner, R., Mead, J. and Benner, L. 2006. Understanding the impacts of anthropogenic sound on beaked whales. *J. Cetacean Res. Manage.* 7(3):177–187.

Curé, C., Antunes, R., Samarra, F., Alves, A., Visser, F., Kvadsheim, P. and Miller, P.J.O. 2012. Pilot whales attracted to killer whale sounds: acoustically-mediated interspecific interactions in cetaceans. *PLoS ONE*. 7(12).e52201. doi: <http://dx.doi.org/10.1371/journal.pone.0052201>

Culik, B.M. 2011. Odontocetes. The toothed whales. CMS Technical Series No. 24. UNEP/CMS/ASCOBANS, Bonn, Germany. 311pp. <http://www.ascobans.org/en/publication/odontocetes-toothed-whales>

Dam, M., and D. Bloch. 2000. Screening of mercury and persistent organochlorine pollutants in long-finned pilot whale (*Globicephala melas*) in the Faroe Islands. *Marine Pollution Bulletin*. 40:1090–9. doi: [http://dx.doi.org/10.1016/S0025-326X\(00\)00060-6](http://dx.doi.org/10.1016/S0025-326X(00)00060-6)

Desportes, G. 1985. *La nutrition des odontocetes en Atlantique Nord-Est (côtes françaises et îles Féroé)*. PhD thesis. Université de Poitiers, France. 190pp.

Desportes, G. 1988. Ecology and status of pilot whales off the Faroe Islands. *ECS Newsl.* 3:2-4.

Desportes, G. 1990. Pilot whale research in the Faroe Islands: presentation and preliminary results. *North Atl. Stud.* 2(1+2):47-54.

Desportes, G., Andersen, L.W., Aspholm, P.E., Bloch, D. and Mouritsen, R. 1994a. A note about a male-only pilot whale school observed in Faroe Islands. *Fróðskaparrit* 40 (1992):27-33.

Desportes, G., Andersen, L.W. and Bloch, D. 1994b. Variation in foetal and postnatal sex ratios in long-finned pilot whales. *Ophelia* 39:183-196. doi: <http://dx.doi.org/10.1080/00785326.1994.10429543>

Desportes, G., Bloch, D., Andersen, L.W. and Mouritsen, R. 1994c. The international research programme on the ecology and status of the long-finned pilot whale off the Faroe Islands: Presentation, results and reference. *Fróðskaparrit* 40 (1992):9-29.

Desportes, G. and Mouritsen, R. 1993. Preliminary results on the diet of long-finned pilot whales off the Faroe Islands. *Rep. int. Whal. Commn.* (special issue 14):305-324.

Desportes, G., Saboureau, M. and Lacroix, A. 1994d. Growth-related changes in testicular mass and plasma testosterone concentrations in long-finned pilot whales, *Globicephala melas*. *J. Repr. Fert.* 102:237-244. doi: <http://dx.doi.org/10.1530/jrf.0.1020237>

Desportes, G., Saboureau, M. and Lacroix, A. 1993. Reproductive maturity and seasonality of male long-finned pilot whales, off the Faroe Islands. *Rep. int. Whal. Commn.* (special issue 14):233-262.

Donovan, G.P., Lockyer, C. and Martin, A.R. (eds). 1993. Biology of Northern Hemisphere pilot whales. *Rep. int. Whal. Commn.* (special issue 14). 479pp.

Eskesen, I., Wahlberg, M., Simon, M. and Larsen, O.N. 2011. Comparison of echolocation clicks from geographically sympatric killer whales and long-finned pilot whales (L). *J. Acoust. Soc. Am.* 130 (1): 9-12. doi: <http://dx.doi.org/10.1121/1.3583499>

Evans, P.G.H. 1980. Cetaceans in British waters. *Mammal Review* 10:1-52. doi: <http://dx.doi.org/10.1111/j.1365-2907.1980.tb00232.x>

Fielding, R. 2010. Environmental change as a threat to the pilot whale hunt in the Faroe Islands. *Polar Research* 29:430-38. doi: <http://dx.doi.org/10.1111/j.1751-8369.2010.00168.x>

Fisheries and Ocean Canada. 2013. Underwater World - Squid. Modified 22-04-2013. <http://www.dfo-mpo.gc.ca/science/publications/uww-msm/articles/squid-calmar-eng.htm>

Footo, A.D. 2008. Mortality rate acceleration and post-reproductive lifespan in matrilineal whale species. *Biol. Lett.* 4:189-191. doi: <http://dx.doi.org/10.1098/rsbl.2008.0006>

Fullard, K. 2000. Microsatellite analysis of long-finned pilot whales. Ph.D. thesis, Cambridge University, Cambridge.

Fullard, K.J., Early, G., Heide-Jørgensen, M.P., Bloch, D., RosingAsvid, A., and Amos, W. 2000. Population structure of longfinned pilot whales in the North Atlantic: a correlation with sea surface temperature? *Mol. Ecol.* 9:949–958. doi: <http://dx.doi.org/10.1046/j.1365-294x.2000.00957.x>

Gannon, D.P., Read, A.J., Craddock, J.E., Fristrup, K.M. and Nicolas, J.R. 1997a. Feeding ecology of the long-finned pilot whale in the western North Atlantic. *Mar. Ecol. Progr. Ser.* 148:1-10. doi: <http://dx.doi.org/10.3354/meps148001>

Gannon, D.P., Read, A.J., Craddock, J.E., and Mead, J.G. 1997b. Stomach contents of long-finned pilot whales (*Globicephala mela*) stranded on the US mid-Atlantic coast. *Mar. Mam. Sci.* 13:405-413. doi: <http://dx.doi.org/10.1111/j.1748-7692.1997.tb00648.x>

Garrison, L.P., A. Martinez and K. Maze-Foley. 2011. Habitat and abundance of marine mammals in Atlantic Ocean continental slope waters off the eastern U.S. *J. Cetacean Res. Manage.* 11(3):267-277.

González, A.F., López, A., Guerra, A. and Barreiro, A. 1994. Diets of marine mammals stranded on the northwestern Spanish Atlantic coast with special reference to Cephalopoda. *Fish. Res.* 21:179-91. doi: [http://dx.doi.org/10.1016/0165-7836\(94\)90103-1](http://dx.doi.org/10.1016/0165-7836(94)90103-1)

Grandjean, P., Henriksen, J.E., Choi, A.L., Petersen, M.S., Dalgård, C., Nielsen, F. and Weiher, p. 2011. Marine food pollutants as a risk factor for hypoinsulinemia and type 2 diabetes. *Epidemiology* 22:410–417. doi: <http://dx.doi.org/10.1097%2FEDE.0b013e318212fab9>

Guldborg Hansen, R. and Heide-Jørgensen, M.P. 2013. Spatial trends in abundance of long-finned pilot whales, white beaked dolphins and harbour porpoises in West Greenland. *Mar. Biol.* 160(11):2929-2941. doi: <http://dx.doi.org/10.1007/s00227-013-2283-8>

Hátún, H. and Gaard, E. 2010. Marine climate, squid and pilot whales in the northeastern Atlantic. p 50-68. In S.-A. Bengtson, P. Buckland, P.H. Enckell and A.M. Fosaa (eds) *Dorete - her book*. Faroe University Press, Tórshavn.

Hátún, H., Payne, M.R., Beaugrand, G., Reid, P.C., Sandø, A.B., Drange, H., Hansen, B., Jacobsen, J.A. and Bloch D. 2009. Large bio-geographical shifts in the north-eastern Atlantic Ocean. From the subpolar gyre, to blue whiting and pilot whales. *Prog. Oceanogr.* 80:149-162.
doi: <http://dx.doi.org/10.1016/j.pocean.2009.03.001>

Hay, K. 1982. Aerial line-transect estimates of abundance of humpback, fin, and long-finned pilot whales in the Newfoundland-Labrador area. *Rep. int. Whal. Commn.* 32:475-486.

Hoydal, K. and Lastein, L. 1993. Analysis of Faroese catches of pilot whales (1709-1992), in relation to environmental variations. *Rep. int. Whal. Commn.* (special issue 14):89-106.

[ICES]. International Council for the Exploration of the Sea. 1993. Report of the study group on long-finned pilot whales, Copenhagen, Denmark, 30 August - 3 September. ICES [International Council for the Exploration of the Sea] CM 1993/N:5.

[ICES]. International Council for the Exploration of the Sea. 1996. Report of the study group on longfinned pilot whales. Cambridge, United kingdom. 22-26 April. ICES CM 1996/A:6.

[ICES]. International Council for the Exploration of the Sea. 2010. Report of the Study Group on Bycatch of Protected Species, 1–4 February 2010, Copenhagen, Denmark. ICES CM 2010/ACOM:25. 123pp.

[ICES]. International Council for the Exploration of the Sea. 2011. Report of the Working Group on the Bycatch of Protected Species. 1–4 February 2011, Copenhagen, Denmark. ICES CM 2011/ACOM:26, 75pp.

[ICES]. International Council for the Exploration of the Sea. 2012. Report of the Working Group on the Bycatch of Protected Species. 7–10 February 2012, Copenhagen, Denmark. ICES CM 2012/ACOM:28. 65pp.

[ICES]. International Council for the Exploration of the Sea. 2013. Report of the Working Group on the Bycatch of Protected Species. 4–7 February 2013, Copenhagen, Denmark. ICES CM 2013/ACOM:27. 73pp.

[ICES]. International Council for the Exploration of the Sea. 2014. Report of the Working Group on the Bycatch of Protected Species. 4–7 February 2014, Copenhagen, Denmark. ICES CM 2014/ACOM:27. 73pp.

Jákupsstovu, S.H.Í., 2002. The pelagic fish stocks, pilot whales and squid in Faroese waters – migration pattern, availability to fisheries and possible links to oceanographic events. *ICES CM 2002/N:07*, 37pp.

Jefferson, T.A., Leatherwood, S. and Webber, M.A. 1993. FAO species identification guide. *Marine mammals of the World*. UNEP/FAO, Rome. 320pp.

Joensen, J.P. 1976. Pilot whaling in the Faroe Islands. *Ethnologica Scandinavia*. 43pp.

Kok, A. 2012. The importance of vocal communication in long-finned pilot whales. <http://www.fonaconservation.nl/index.php/en/projects-completed/16-projecten-2012/61-het-belang-van-vocale-communicatie-voor-de-gewone-griend>

Lawson, J.W. and J.-F. Gosselin. 2009. Distribution and preliminary abundance estimates for cetaceans seen during Canada's Marine Megafauna Survey - A component of the 2007 TNASS. *Can. Sci. Advisory Sec. Res. Doc.* 2009/031. 28 pp.

Lawson, J. and Gosselin, J-F. 2011. Fully-corrected cetacean abundance estimates from the Canadian TNASS survey. (Draft paper available from J. Lawson).

Learmonth, J. A., Macleod, C. D., Santos, M. B., Pierce, G. J., Crick, H. Q. P. and Robinson, R. A. 2006. Potential effects of climate change on marine mammals. *Oceanography and Marine Biology: An Annual Review* 44:431-464.

Lien, J. 1994. Entrapments of large cetaceans in passive inshore fishing gear in Newfoundland and Labrador (1979-1990). *Rep. int. Whal. Commn.* (special issue 15):149-157.

Lynch, K.D. 1987. Humpback, finback, minke, and pilot whale distribution in Newfoundland and Labrador 1976-1983. M.S. thesis. St. John's, Newfoundland: Memorial University of Newfoundland. 196 pp.

MacLeod, C.D., Bannon, S.M., Pierce, G.J, Schweder, C., Learmonth; J.A., Herman; J.S. and Reid; R.J. 2005. Climate change and the cetacean community of north-west Scotland. *Biological Conservation* 124:477–483. doi: <http://dx.doi.org/10.1016/j.biocon.2005.02.004>

Martin, A.R., Donovan, G.P., Leatherwood, S., Hammond, P.S., Ross, G.J.B., Mead, J.G., Reeves, R.R., Hohn, A.A., Lockyer, C.H., Jefferson, T.A. and Webber, M.A. 1990. *Whales and dolphins*. Bedford Editions Ltd., London. 192pp.

Martin, A.R., Reynolds, P. and Richardson, M.G. 1987. Aspects of the biology of pilot whales (*Globicephala melaena*) in recent mass strandings on the British coast. *J. Zool., Lond.* 211:11-23. doi: <http://dx.doi.org/10.1111/j.1469-7998.1987.tb07449.x>

Martin, A.R. and Rothery, P. 1993. Reproductive parameters of female long-finned pilot whales (*Globicephala melas*) around the Faroe Islands. *Rep. int. Whal. Commn (special issue 14)*:263-304.

Mate, B. 1989. Watching (whale) habits and habitats from earth satelittes. *Oceanus* 32:14-18.

Méndez-Fernandez, P., Pierce, G.J., Bustamante, P., Chouvelon, T., Ferreira, M., López, A., *et al.* 2012. Foraging ecology of five toothed whale species in the Northwest Iberian Peninsula, inferred using carbon and nitrogen isotope ratios. *J. Exp. Mar. Biol. Ecol.* 413:150–8. doi: <http://dx.doi.org/10.1016/j.jembe.2011.12.007>

Méndez-Fernandez, P., Pierce, G.J., Bustamante, P., Chouvelon, T., Ferreira, M., González, A.F., *et al.* 2013. Ecological niche segregation among five toothed whale species off the NW Iberian Peninsula using ecological tracers as multi-approach. *Mar. Biol.* 160(11):2825-2840. doi: <http://dx.doi.org/10.1007/s00227-013-2274-9>

Méndez-Fernandez, P., Webster, L., Chouvelon, T., Bustamante, P., Ferreira, M., González, A.F., *et al.* 2014b. An assessment of contaminant concentrations in toothed whale species of the NW Iberian Peninsula: Part I. Persistent organic pollutants. *Sci. Total Environ.* 484(15):196–205. doi: <http://dx.doi.org/10.1016/j.scitotenv.2014.02.045>

Méndez-Fernandez, P., Webster, L., Chouvelon, T., Bustamante, P., Ferreira, M., González, A.F., *et al.* 2014a. An assessment of contaminant concentrations in toothed whale species of the NW Iberian

Peninsula: Part II. Trace element concentrations. *Sci. Total Environ.* 484(15): 206–17.
doi: <http://dx.doi.org/10.1016/j.scitotenv.2014.03.001>

Mercer, M.C. 1975. Modified Leslie-Delury population models of the long-finned pilot whale (*Globicephala melas*) and annual production of short-finned squid (*Illex illecebrosus*) based upon their interaction in Newfoundland. *J. Fish. Res. Bd Can.* 32:1145-54.

Mikkelsen, B. 2008. Movements and diving of pilot whales in autumn and early winter. NAMMCO SC/15/PW/07. 9pp.

Miller, P.J.O., Antunes, R., Alves, A. C., Wensveen, P., Kvadsheim, P.H., Kleivane, L., Nordlund, N., Lam, F.P., van IJsselmuide, S., Visser, F. and Tyack, P. 2011. The 3S experiments: studying the behavioral effects of sonar on killer whales (*Orcinus orca*), sperm whales (*Physeter macrocephalus*), and long-finned pilot whales (*Globicephala melas*) in Norwegian waters. Scottish Ocean Inst.Tech.Rep. 2011-001. 289pp. <http://soi.st-andrews.ac.uk/documents/424.pdf>

Miller, P.J.O., Kvadsheim, P.H., Lam, F.P.A., Wensveen, P.J., Antunes, R.N., Alves, A.C., Visser, F., Kleivane, L., Tyack, P.L. and Doksæter-Sivle, L. 2012. The severity of behavioral changes observed during experimental exposures of killer (*Orcinus orca*), long-finned pilot (*Globicephala melas*), and sperm (*Physeter macrocephalus*) whales to Naval Sonar. *Aquatic Mammals* 38:362-401. <http://dx.doi.org/10.1578/AM.38.4.2012.362>

Mitchell, E.D. 1975a. Porpoise, dolphin and small whale fisheries of the world: status and problems. *IUCN and Natural Resources* 3:1-129.

Mitchell, E.D. 1975b. Report of the meeting on smaller cetaceans. Montreal, 1-11 April 1974. *J. Fish. Board Can.* 32(7): 889-983.

Monteiro, S.S. 2013. Population ecology of long-finned pilot whale (*Globicephala melas*) off the western coast of the Iberian Peninsula. PhD thesis. University of Minho (Portugal) and Aberdeen (Scotland). 200pp.

[NAMMCO] North Atlantic Marine Mammal Commission. 1998a. Report of the Scientific Committee Working Group on Abundance Estimates. In: NAMMCO Annual Report 1997, NAMMCO, Tromsø, Norway, 173-202.

[NAMMCO] North Atlantic Marine Mammal Commission. 1998b. Report of the fifth meeting of the Scientific Committee. In: NAMMCO Annual Report 1997, NAMMCO, Tromsø, Norway, 85-202.

[NAMMCO] North Atlantic Marine Mammal Commission. 1998c. Report of the Management Committee. In: NAMMCO Annual Report 1997, NAMMCO, Tromsø, Norway, 63-82.

[NAMMCO] North Atlantic Marine Mammal Commission. 2013. Report of the Nineteenth Meeting of the Scientific Committee. p. 263-550. In: NAMMCO Annual Report 2012, NAMMCO, Tromsø, Norway. 641pp. <http://www.nammco.no/webcronize/images/Nammco/982.pdf>

[NAMMCO] North Atlantic Marine Mammal Commission. 2014. Instruction manual on Pilot whaling. 23pp. Available at <http://www.nammco.no/webcronize/images/Nammco/999.pdf>

Natale, A.D. and Notarbartolo-di-Sciara, G. 1994. A review of the passive fishing nets and trap fisheries in the Mediterranean Sea and of the cetacean bycatch. *Rep. int. Whal. Commn.* (special issue 15):189-202.

Nelson, D. and Lien, J. 1996. The status of the long-finned pilot whale, *Globicephala melas*, in Canada. *Can. Field Nat.* 110:511-524.

Notarbartolo-di-Sciara, G. 1990. A note on the cetacean incidental catch in the Italian driftnet swordfish fishery, 1986-1988. *Rep. int. Whal. Commn.* 40:459-460.

Olson, P. 2009. Pilot whales – *Globicephala melas* and *G. macrorhynchus*. pp. 847–852. In: W. Perrin, B. Würsig, and J. Thewissen (Eds.) *Encyclopedia of marine mammals*. Academic Press, Amsterdam, 2nd ed.

Ottensmeyer, C.A. and Whitehead, H. 2003. Behavioural evidence for social units in longfinned pilot whales. *Can. J. Zool.* 81:1327-1338. http://whitelab.biology.dal.ca/hw/Ottensmeyer_2003.pdf

Overholtz, W.J. and Waring, G.T. 1991. Diet composition of pilot whales *Globicephala* sp. and common dolphins *Delphinus delphis* in the Mid-Atlantic Bight during spring 1989. *Fish. Bull.* 89:723-28.

Payne, P.M. and Heinemann, D.W. 1993. The distribution of pilot whales (*Globicephala* spp.) in shelf/shelf-edge and slope waters of the northeastern United States, 1978-1988. *Rep. int. Whal. Commn.* (special issue 14):51-68.

Pierrepoint, J.F.D., Dubois, B., Desormonts, S., Santos, M.B. and Robin, J.P. 2005. Stomach contents of English Channel cetaceans stranded on the coast of Normandy. *J. Mar. Biol. Ass. UK.* 85:1539-46. <http://dx.doi.org/10.1017/S0025315405012762>

Pike, D.G., Desportes, G., Gunnlaugsson, T., Mikkelsen, B. and Bloch, D. 2013. Estimates of the relative abundance and trend of pilot whales (*Globicephala melas*) in the North Atlantic from 1987 to 2007. NAMMCO SC/20/18. 54pp.

Raga, J.A. and Balbuena, J.A. 1993. Parasites of the long-finned pilot whale, *Globicephala melas* (Traill, 1809), in European waters. *Rep. int. Whal. Commn.* (special issue 14):391-406.

Reid, J.B., Evans, P.G.H. and Northridge, S.P. 2003. Atlas of cetacean distribution in north-west European waters. Joint Nature Conservation Committee, Peterborough. 76pp.

Reijnders, P.J.H. and de Ruiter-Dijkman, E.M. 1995. Toxicological and epidemiological significance of pollutants in marine mammals. In: Blix, A.S., Walløe, L. and Ulltang, Ø. (eds.); *Whales, seals, fish and man*. Elsevier, Amsterdam, 575-587.

Rendell, L.E. and Gordon, J.C.D. 1999. Vocal response of long-finned pilot whales (*Globicephala melas*) to military sonar in the Ligurian Sea. *Marine Mammal Science* 15(1):198-204.
doi: <http://dx.doi.org/10.1111/j.1748-7692.1999.tb00790.x>

Rendell, L.E., Matthews, J.N., Gill, A., Gordon, J.C.D., and Macdonald, D.W. 1999. Quantitative analysis of tonal calls from five odontocete species, examining interspecific and specific variation. *J. Zool. Lond.* 249:403-410. http://www.econscience.org/val/pubs/orca_refs/rendell%2Bjzoology.pdf

Sanderson K. 1992. Grindadráp: a textual history of whaling traditions in the Faroes to 1900. MPh thesis, University of Sydney.

Santos, M.B., Monteiro, S.S., Vingada, J.V., Ferreira, M., López, A., Martínez-Cedeira, J., reod, R.J., Brownlow, A. and Pierce, G. 2013. Patterns and trends in the diet of long-finned pilot whales (*Globicephala melas*) in the northeast Atlantic. *Marine Mammal Science* doi: <http://dx.doi.org/10.1111/mms.12015>

Senigaglia, V. and Whitehead, H. 2012. Synchronous breathing by pilot whales. *Mar. Mamm. Sci.* 28:213–219. doi: <http://dx.doi.org/10.1111/j.1748-7692.2011.00465.x>

Senigaglia, V., de Stephanis, R., Verborgh, P. and Lusseau, D. 2012. The role of synchronized swimming as affiliative and anti-predatory behavior in long-finned pilot whales. *Behavioural Processes* 91:8–14. doi: <http://dx.doi.org/10.1016/j.beproc.2012.04.011>

Sergeant, D.E. 1962. The biology of the pilot or pothead whale *Globicephala melaena* (Traill) in Newfoundland waters. *Bull. Fish. Res. Board Can.* 132:1-84.

Sergeant, D.E. and Fisher, H.D. 1957. The smaller cetaceans of eastern Canadian waters. *J. Fish. Res. Board Can.* 14:83-115.

Siemann, L. 1994. Mitochondrial DNA sequence variation in North Atlantic long-finned pilot whales, *Globicephala melas*. PhD Thesis, Massachusetts Institute of Technology/Woods Hole Oceanographic Institution.

Sigurjónsson, J. and Víkingsson, G.A. 1997. Seasonal abundance of and estimated food consumption by cetaceans in Icelandic and adjacent waters. *J. Northwest Atl. Fish. Sci.* 22:271-287. URL: <http://journal.nafo.int/J22/Sigurjonsson.pdf>

Sigurjónsson, J., Víkingsson, G. and Lockyer, C. 1993. Two mass strandings of pilot whales (*Globicephala melas*) on the coast of Iceland. *Rep. int. Whal. Commn.* (special issue 14):407-423.

Sivle, L.D., Kvadsheim, P.H., Fahlman, A., Lam, F.P., Tyack, P. and Miller, P.J. 2012. Changes in dive behavior during naval sonar exposure in killer whales, long-finned pilot whales, and sperm whales. *Front. Physio.* 3:400. doi: <http://dx.doi.org/10.3389/fphys.2012.00400>

Smith, T.D., Payne, P.M., Heinemann, D., Waring, G. and Langre, A. 1990. Simultaneous fishery resources and seabird and cetacean sighting surveys. *North Atl. Stud.* 2:90-101.

Sonne, C., Dam, M., Leifsson, P.S., Dietz, R. 2010. Liver and renal histopathology of North Atlantic long-finned pilot whales (*Globicephala melas*) contaminated with heavy metals and organochlorine compounds. *Toxicol. Environ. Chem.* 92:969–85. doi: <http://dx.doi.org/10.1080/02772240903187221>

Spitz, J., Cherel, Y., Bertin, S., Kiszka, J., Dewez, A. and Ridoux, V. 2011. Prey preferences among the community of deep-diving odontocetes from the Bay of Biscay, Northeast Atlantic. *Deep Sea Res. I.* 58:273-282. doi: <http://dx.doi.org/10.1016/j.dsr.2010.12.009>

Spitz, J., Trites, A.W., Becquet, V., Brind'Amour, A., Cherel, Y., Galois, R. and Ridoux, V. 2012. Cost of living dictates what whales, dolphins and porpoise eat: the importance of prey quality on predator foraging strategies. *Plos one* 7(11). e50096. doi: <http://dx.doi.org/10.1371/journal.pone.0050096>

Steuerwald, U., Weihe, P., Jørgensen, P.J. Bjerve, K., Brock, J., Heinzow, B. Budtz-Jørgensen, E. and Grandjean, P. 2000. Maternal seafood diet, methylmercury exposure, and neonatal neurologic function. *J. Pediatrics* 136(5):599-605. doi: <http://dx.doi.org/10.1067/mpd.2000.102774>

Taylor, B.L., Chivers, S.J., Larese, J. and Perrin, W.F. 2007. Generation length and percent mature estimates for IUCN assessments of Cetaceans. Administrative Report LJ-07-01, National Marine Fisheries Service, Southwest Fisheries Science Center.
URL: <https://swfsc.noaa.gov/uploadedFiles/Divisions/PRD/Publications/Generation%20Length%20Admin%20Report.pdf>

Taylor, B.L., Baird, R., Barlow, J., Dawson, S.M., Ford, J., Mead, J.G., Notarbartolo di Sciara, G., Wade, P. & Pitman, R.L. 2008. *Globicephala melas*. In: IUCN 2014. IUCN Red List of Threatened Species. [Version 2014.1](#).

Taruski, A.G. 1979. The whistle repertoire of the North Atlantic pilot whale (*Globicephala melaena*) and its relationship to behaviour and environment. p. 345-68. In: Winn, H.E. and Olla, B.L. (eds). *Behaviour of marine mammals*. Plenum Press, New York.

Tilbury, K.L., Adams, N.G., Krone, C.A., Meador, J.P., Early, G. and Varanasi, U. 1999. Organochlorines in stranded pilot whales (*Globicephala melaena*) from the Coast of Massachusetts. *Arch. Environ. Contam. Toxicol.* 37:125–134.

Visser, F. 2014. Moving in concert: social and migratory behaviour of dolphins and whales in the North Atlantic Ocean. PhD thesis. Institute for Biodiversity and Ecosystem Dynamics. University of Amsterdam. <http://dare.uva.nl/record/472565>

Visser, F., Miller, P.J.O., Antunes, R.N., Oudejans, M.G., MacKenzie, M.L., Aoki, K., Lam, F.P.A., Kvadsheim, P.H., Huisman, J. and Tyack, P.L. 2014. The social context of individual foraging behaviour in long-finned pilot whales (*Globicephala melas*). *Behaviour.* 51(10).
doi: <http://dx.doi.org/10.1163/1568539X-00003195>

Waring, G.T., Josephson, E., Fairfield, C.P., Maze-Foley, K. (eds). 2007a. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2006. NOAA Technical Memorandum NMFS NE-201. 378pp. <http://nefsc.noaa.gov/publications/tm/tm201/>

Waring, G.T., Josephson, E., Fairfield, C.P., Maze-Foley, K. (eds). 2007b. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2007. NOAA Technical Memorandum NMFS NE-205. 415pp. <http://www.nefsc.noaa.gov/publications/tm/tm205/pdfs/96LongFinPilotW.pdf>

Waring, G.T., Josephson, E., Maze-Foley, K. and Rosel, P.E. (eds). 2012. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2011. NOAA Technical Memorandum NMFS-NE-221. 319pp. (G. melas, p. 58-70). Available at <http://www.nmfs.noaa.gov/pr/pdfs/sars/ao2011.pdf>

Waring, G.T., Palka, D.L., Clapham, P.J., Swartz, S., Rossman, M.C., Cole, T.V.N., Hansen, L.J., Bisack, K.D., Mullin, K.D., Wells, R.S., Odell, D.K. and Baros N.B. 1999. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments – 1999. NOAA Technical Memorandum NMFS NE-153.

Weilgart, L.S. and Whitehead, H. 1990. Vocalizations of the North Atlantic pilot whales (*Globicephala melas*) as related to behavioural context. *Behav. Ecol, Sociobiol.* 26:399-402.
doi: <http://dx.doi.org/10.1007/BF00170896>

Weihe, P., Grandjean, P., Debes, F., and White, R. 1996. Health implications for Faroe Islanders of heavy metals and PCB's from pilot whales. *The Science of the Total Environment* 186:141-148. doi: [http://dx.doi.org/10.1016/0048-9697\(96\)05094-2](http://dx.doi.org/10.1016/0048-9697(96)05094-2)

Weihe, P. and Joensen, H. D. F. 2012. Dietary recommendations regarding pilot whale meat and blubber in the Faroe Islands. *Int J Circumpolar Health* 71:18594 <http://dx.doi.org/10.3402/ijch.v71i0.18594>

Weihe, P. and Joensen, H.D. 2008. Recommendations to the government of the Faroe Islands concerning the pilot whale. (English translation released 1 December 2008.) Tórshavn: Landslægen.

Weisbrod, A.V., Shea, D., Moore, M.J. and Stegeman, J.J. 2000. Bioaccumulation patterns of polychlorinated biphenyls and chlorinated pesticides in northwest Atlantic pilot whales. *Environ. Toxicol. Chem.* 19:667-677. doi: <http://dx.doi.org/10.1002/etc.5620190319>

Weisbrod, A.V., Shea, D., Moore, M.J. and Stegeman, J.J. 2001. Species, tissue and gender-related organochlorine bioaccumulation in white-sided dolphins, pilot whales and their common prey in the Northwest Atlantic. *Marine Environmental Research* 51:29-50. doi: [http://dx.doi.org/10.1016/S0141-1136\(00\)00032-5](http://dx.doi.org/10.1016/S0141-1136(00)00032-5)

Williamson, K. 1970. *The Atlantic Islands. A study of the Faroe life and scene.* Routledge and K. Paul London. 385pp.

Zachariassen, P. 1993. Pilot whale catches in the Faroe Islands, 1709-1992. *Rep. int. Whal. Commn.* (special issue 14):69-88.