

NATIONAL PROGRESS AND DATA REPORTING 2020

GREENLAND - PROGRESS REPORT ON MARINE MAMMALS 2020

I INTRODUCTION

Sections II, III and V of this report summarize the research on pinnipeds and cetaceans done in Greenland in 2020 by the Greenland Institute of Natural Resources (GINR), in collaboration with several organizations. Section IV and VI deals with management issues hunting data and was prepared by the Department of Fisheries, Hunting and Agriculture.

II RESEARCH BY SPECIES

A Species and stocks studied

Pinnipeds

- Walrus Odobenus rosmarus Northern Baffin Bay and East Greenland
- Harbor seal Phoca vitulina Central West and South Greenland
- Bearded seal Erignathus barbatus East Greenland
- Ringed seal Pusa hispida West and East Greenland
- Harp seal Pagophilus groenlandicus West and East Greenland

Cetaceans

- Narwhal Monodon monoceros West and East Greenland
- Beluga Delphinapterus leucas West Greenland
- Harbour porpoise Phocoena phocoena West Greenland
- Bowhead whale Balaena mysticetus –West and East Greenland
- Humpback whale Megaptera novaeangliae West and East Greenland
- Fin whale Balaenoptera physalus West Greenland
- Minke whale Balaenoptera acutorostrata West and East Greenland
- White beaked dolphins Lagenorhynchus albirostris East Greenland
- Killer whale Orcinus orca East Greenland
- Pilot whale Globicephala melas East Greenland

B Field work in 2020

Walrus

Work with walruses in 2020 consisted of analyses and writing based in data collected before 2020. In addition, we communicated with people from Pituffik, Qaanaaq, about the status of a terrestrial haul-out from Wolstenholme Fjord / Uummannap Kangerlua, discovered in 2018.

Seals

The time-series of ringed seal tagging in Sermilik (Southeast Greenland) and in Kangia (Ilulissat Icefjord, West Greenland), started in 2012, continued in 2020. The main aim of this work is to obtain oceanographic data for climate analysis. In Kangia, the study is complemented with data obtained from tags of Greenland halibut. A byproduct of this study is data on habitat use, movements and ecology of seals and halibut in the area.

As part of an environmental study program financed by the oil industry, and in collaboration the Norwegian Marine Research Institute, data on harp seal pups tagged with satellite senders in the Greenland Sea in April 2017 were analyzed.

A second project from the same environmental study program, this time in collaboration with the University of Aarhus, consisted of tagging ringed seals in the coastal waters of Northeast Greenland in august 2017. Both studies sent data well into 2018 and some of the analyses were carried out in 2020.

An interview study of harbor seals in West Greenland was initiated in 2019 and continued in 2020.

Cetaceans

An aerial survey for narwhals, planned for May 2020, was cancelled due travel restrictions posed by the covid-19 pandemic. A telemetry study of bowhead whales in Disko Bay was also cancelled because of the pandemic.

Satellite telemetry of narwhals in East Greenland started in 2010. Fieldwork continued in 2020. However, there were no narwhals tagged in 2020.

In 2019, as in previous years, hunters from Qeqertarsuaq collected biopsies of bowhead whales during spring in Disko Bay.

Collection of identification pictures taken by the public of humpback whale flukes and dorsal fins from West Greenland continued throughout 2020.

Moorings to monitor underwater sounds placed in previous years in Melville Bay and other locations were collected in 2020.

The Danish Centre for Energy and Environment (DCE), University of Aarhus, maintains a database with observations collected by dedicated marine mammal and sea bird observers on board vessels carrying out seismic surveys under licences provided by the Governmen of Greenland.

C Laboratory work in 2020

Laboratory work carried in 2019 included the analysis of stomach samples from seals and fish from Ilulissat (GINR and university of Aarhus), as well as genetic analyses of bowhead whales from Disko Bay (University of Oslo), genetic analysis of belugas and narwhals (University of Copenhagen) and chemical analysis on narwhal tusks (multiple locations).

Sound recordings from moorings in West and East Greenland are being analyzed for estimates of background noise and seasonal occurrence of marine mammals, as well as monitoring of seismic exploration.

D Other studies in 2020

A number of desktop studies were carried out during 2020, including analysis of catch statistics for a number of species and assessments of narwhal for scientific working groups under NAMMCO and of large whales for the IWC.

E Research results in 2019

The majority of research results from the fieldwork of 2020 are not available yet.

III ONGOING (CURRENT) RESEARCH

An automated camera will be mounted, for monitoring the newly established walrus haulout in Qaannaaq.

The time-series of ringed seal tagging in Sermilik (Southeast Greenland) and in Kangia (Jacobshavn Icefjord, West Greenland) will continue in 2021.

Marine mammal surveys planned for 2021 include the aerial survey for narwhals during spring off Ittoqqortoormiit that was cancelled in 2020.

To better understand stock delineation and to obtain complementary data for abundance estimates, GINR runs a series of satellite telemetry studies. In 2020, the focus will be on narwhals in East Greenland.

The long-term studies of bowhead whales in Disko Bay will also continue. Work in 2020 will focus in the collection of biopsy samples for mark – recapture abundance estimates.

Telemetry studies of narwhals in Scoresbysund, East Greenland, started in 2020. Tagging is planned for 2021.

Studies of large whales in Tasiilaq, Southeast Greenland, carried out by the Climate Research Centre (GCRC) at GINR will continue.

As in previous years, collection of identification pictures taken by the public of humpback whales flukes and dorsal fins from West Greenland will continue.

IV ADVICE GIVEN AND MANAGEMENT MEASURES TAKEN

Advice and quotas for cetaceans and pinnipeds in the calendar year 2019 2020 are summarized in table 1.

Quotas for large whales are set by the IWC. At the IWC 67 meeting in 2018, the IWC agreed upon quotas and revised carry-over provisions for the new quota block 2019 – 2026. The IWC quotas were implemented in 2020 and 2021. The Ministry has also implemented the new carry-over provisions both in West Greenland for minke whales, fin whales, humpback whales and bowhead whales. The same process happened in relation to East Greenland minke whale starting in 2020. If the level of catches of other large whales than minke whales rises, the carry-over provision migh be fully utilized.

Minke whale catches West Greenland:

The quota was on 164. The total takes was on 109 minke whales, hereof 40 caught with vessels with harpoon cannon and 69 minke whales caught by collective - open boat hunts. No struck and lost were reported.

Furthermore, in all 52 minke whales were carried to 2020 hunting season from 2019. 3 minke whales caught by vessels with harpoon cannons and 49 by collective hunt. In all 161 minke whales were caught in 2020. 55 minke whales will be carried over to 2021 whale season in 2021.

Minke whale catches East Greenland:

The quota was on 20. The total takes was on 17 minke whales, all from Tasiilaq hunted from open boats with rifle. Furthermore, in all 3 minke whales were carried to 2020 hunting season from 2019. In all 20 minke whales were caught in 2020 whale season in East Greenland. 3 minke whales will be carried to 2021 whale season. No struck and lost were reported.

Finwhale, humpback and bowhead whale catches in West Greenland:

The finwhale quota was on 19, and 3 were caught.

Humpback whale quota was on 10, and 3 were caught.

Bowhead whale quota was on 2, and no catches in 2020.

The Government of Greenland sets the quotas for narwhals and belugas, with basis on user's knowledge and recommendations from NAMMCO and JCNB. Assuming that struck and lost animals were reported, quotas for narwhals in 2020 in Etah (Smith Sund), Qaanaaq (Inglefield Bredning) and Uummannaq would have been in accordance with the advice by NAMMCO and JCNB.

For Melville Bay, there was an original quota of 56 narwhals for 2020, compared with an advice of 70 narwhals. An additional quota of 14 narwhals was given to Upernavik in May, for a total quota of 70 narwhals for Melville Bay. There were 106 narwhals caught in Melville Bay in 2019 and, assuming a struck and loss rate of 7.6%, 281 narwhals were removed by hunting in Melville Bay from 2017 -2019. This is equivalent to an average of 94 removals per year, which is considerably higher than the advice. There was only two struck and lost report of narwhal in East Greenland in 2020, which was registered as a usage of two licensee. None report from Melville Bay was given on struck and lost.

The quota for 2020 for Disko Bay and Southwest Greenland was 111 narwhals, compared to an advice of 97, including struck and lost. The estimated average removals from 2017 – 2019 in this area was 97 narwhals per year.

During 2020, the advice from the Scientific Committee of NAMMCO for narwhals in East Greenland was not the same as the official NAMMCO advice, as the management committees did not meet in 2020 due to the Covid-19 pandemic and were not able to discuss the report of the Scientific Committee. The official NAMMCO advice for East Greenland in 2019 was that catches in Ittoqqortoormiit and Kangerlussuaq should not exceed 10 landed narwhals in each area, while there should be no catches in Tasiilaq. The advice from the Scientific Committee, based on a working group meeting on September 2019, was that number of narwhals in East Greenland, south of the National Park, had declined to a level where not even a small catch could be sustainable. Given that catches at the current level for even one year would have a significant negative impact, the SC recommended that there be an immediate reduction to 0 catches in East Greenland, at least until a new abundance estimate is generated.

In 2019, the Government of Greenland designed a plan for a gradual reduction of quota of narwhals starting in 2020 season in East Greenland, aiming to reach the advice of 10 narwhals in Ittoqqortoormiit and 10 in Kangerlussuaq by 2023. Following this plan, the East Greenland quotas at the start of 2020 were 40 narwhals for Ittoqqortoormiit, zero for Kangerlussuaq and 10 for Tasiilaq. An additional quota of 8 narwhals was given to Tasiilaq in June 2020, due to food safety and preserving hunting culture, which is seen as an Indigenous Peoples Right. Six of the additional quotas were utilized in 2020.

The Government of Greenland sets the quotas for beluga in West Greenland. The quotas for 2020 were in accordance with recommendations from 2015 by NAMMCO and JCNB. Until the 1920's, there used to be belugas in Southwest Greenland from fall to June. In order to facilitate the potential reestablishment of belugas in their historical range, NAMMCO Council recommended that belugas should be protected in Southwest Greenland, south of 65°N, and a seasonal closure in West Greenland during summer. In 2020 there was a quota of 20 belugas in Southwest Greenland and no seasonal closures. The Government of Greenland has decided not to follow the advice of NAMMCO, due to the assumption that it is unlikely that beluga will re-establish in the mentioned area due to several factors, including the increased level of ship traffic, much higher numbers of catching boats, climate and environmental changes. The Government of Greenland has decided not to establish seasonal closures because the quota has not been fully utilized during any year since the introduction of quotas in 2004. It is the assumption that hunting is not the only reason for no reestablishment of beluga in Mid West Greenland.

The Joint Working Group of the Scientific Committees of NAMMCO and JCNB (JWG) met in October 2020 and provided with new advice for belugas. As something new, the JWG considered the belugas that winter in the North Water Polynya as a separate stock, which is hunted in Qaanaaq, and estimated that a yearly catch of 37 belugas would give a probability of population increase of 70%. The previous advice for this area was that that a catch of 20 belugas a year in Qaanaaq was probably sustainable. The quota had been set as technical quota with 100 animals in a 5 year period, 20 animals per year, which had lead to frustration for the hunting communities. To maintain a 70% probability for population increase, the JWG recommended an annual landed catch of no

more than 265 individuals south of Cape York and north of 65°. The new advice for both stocks (North Water and west Greenland) was provided in terms of landed animals, instead of total removals, as in the previous advice of 2015. This means that quotas based on the new advice do not need to take struck and lost into consideration.

In December 2020, the Government of Greenland announced new quotas for narwhal and beluga for 2021. The new beluga quotas include an increase of the quota for Qaanaaq from 20 to 37, compared to 2020. The Government also issued an 8-year plan to subtract an overhunt of 64 belugas that took place in Qaanaaq in 2019, so that the actual quota from 2021 to 2028 will be of 29 belugas per year. For West Greenland, the 2021 quota was 265 belugas, which is in accordance with the advice for the JWG. As in previous years, a portion of the West Greenland quota (5 belugas) was allocated to areas south of 65°.

The main management body for narwhal and beluga in West Greenland the Joint Commission between Greenland and Canada/Nunavut on Narwhal and Beluga in Baffin Bay has not held meeting to handle the newest report from November 2020 with advice from the Joint working Group.

The JWG was not able to complete the assessment for narwhals in West Greenland at their meeting in October 2020, and therefore there was no new advice for this species. In West Greenland, narwhal quotas for 2021 follow the advice from 2015 in Etah (5 narwhals), Qaanaaq (98 narwhals), Uummannaq (154 narwhals) and Disko Bay/rest of West Greenland (97). As in 2020, the quotas equal the advice without accounting for struck and lost animals. So, if the whole quota is taken, and struck and lost animals are not reported, the removals would be larger than advised. For East Greenland, quotas followed the plan set in 2021 and consisted of 5 narwhals for Tasiilaq, 10 for Kangerlussuaq and 25 for Ittoqqortoormiit. According to the NAMMCO SC, these catches could have a serious negative impact in the narwhals in East Greenland. The Government of Greenland has decided to balance the recommendation from JWG and the statements made by hunters, given that the statements are opposites to preserve the culture and due to food safety for the communities.

There are no quotas for pilot whale, harbor porpoise, white-sided and white-beaked dolphins and killer whales. In 2013, NAMMCO recommended that Greenland should take a closer look at the accuracy of catch data for harbor porpoises and killer whales. This work has not been completed. An Executive Order covering the mentioned small cetaceans is underway and is expected to be finished in 2021-22. In 2020, the Government of Greenland took notice of scientific reports showing high level of contaminants in killer whales in Greenland and the subsequent recommendation on not to use killer whales for human consumption nor animal feed. As a result, the Government of Greenland is considering setting a ban on the catch of killer whales through executive order.

Walrus quotas are given by the Government of Greenland, and in 2020 and 2021, as in previous years, the Government of Greenland followed the advice from NAMMCO. Quotas for 2020 were 79 in Baffin Bay, 74 in Davis Strait / Baffin Island and 17 in East Greenland. Quotas for 2021 are unamended. The Government of Greenland has implemented a carry-over provision, so unused quotas are carried to next walrus season, including the provision regarding the request to report both struck and lost and landed animals. The walrus quotas both in West and East Greenland are un-amended.



Table 1. Overview of management advice per stock and the quota or other management measures used in 2020.

Species - stock	Advisor	Advice in 2020	Management measure 2020
Harbour seal	NAMMCO	Total protection	Protected since 2010
Grey seal	NAMMCO	Total protection	Protected since 2010
Harp seal	ICES/NAFO/NAMMCO	No concern	No catch limit
Hooded seal	ICES/NAFO/NAMMCO	No concern	No catch limit
Walrus - Baffin Bay	NAMMCO	84 landed animals	Quota of 79
Walrus - Davis Strait / Baffin Island	NAMMCO	86 landed animals	Quota of 74
Walrus - East Greenland	NAMMCO	17 landed animals	Quota of 17
Beluga - West Greenland	JCNB & NAMMCO	320 landed animals. Protection south of 65°N	Quota of 320, of which 20 are allocated south of 65°N
Beluga - Qaanaaq	JCNB & NAMMCO	Catch of 20 acceptable	Quota of 20
Narwhal - Etah	JCNB & NAMMCO	5 removals	Quota of 5
Narwhal - Inglefield Bredning	JCNB & NAMMCO	98 removals	Quota of 98
Narwhal - Melville Bay	JCNB & NAMMCO	70 removals	Quota of 70 (106 reported caught in 2019)
Narwhal - Uummannaq	JCNB & NAMMCO	154 removals	Quota of 140
Narwhal - Disko Bay to South Greenland area	JCNB & NAMMCO	97 removals	Quota of 97 ⁱ
Narwhal - Ittoqqortoormiit	NAMMCO	10 landed animals (SC: 0 catches)	Quota of 40
Narwhal - Kangerlussuaq	NAMMCO	10 landed animals (SC: 0 catches)	Quota of 0
Narwhal - Tasiilaq	NAMMCO	0 catches	Quota of 10+8=18 (there was a overhunt of 6 and 6 of the additional quota were utilized)
Bowhead whale – West Greenland/Arctic Canada	IWC	5 removals acceptable	Quota of 2
Humpback whale – West Greenland	IWC	10 removals acceptable	Quota of 10
Fin whale – West Greenland	IWC	19 removals acceptable	Quota of 19
Minke whale – West Greenland	IWC	164 removals acceptable	Quota of 164
Minke whale – East Greenland	IWC	20 removals acceptable	Quota of 20

ⁱ The quota in the Disko Bay area was 85, and the remaining 12 were allocated to West and Southwest Greenland.



V PUBLICATIONS AND DOCUMENTS

Peer reviewed

- Bachmann L, Carbrera AA, Heide-Jørgensen MP, Shpak OV, Lydersen C, Wiig Ø, Kovacs KM (2020) Mitogenomics and the genetic differentiation of contemporaray *Balaena mysticetus* (Cetacea) from Svalbard. Zoological Journal of the Linnean Society XX: 1-12.
- Boye TK, Garde E, Nielsen J, Hedeholm R, Olsen J, Simon M (2020) Estimating the Age of West Greenland Humpback Whales Through Aspartic Acid Racemization and Eye Lens Bomb Radiocarbon Methods. Frontiers in Marine Science 6: 811 https://www.frontiersin.org/article/10.3389/fmars.2019.00811
- Chambault P, Tervo OM, Garde E, Hansen RG, Blackwell SB, Williams TM, Dietz R, Albertsen CM, Laidre K, Richard P, Sinding M-HS, Schmidt HC, Heide-Jørgensen MP (2020) The impact of rising sea temperatures on an Arctic top predator, the narwhal. Nature Scientific Reports 10:18678 | https://doi.org/10.1038/s41598-020-75658-6
- Frasier TR, Petersen S, Postma L, Johnson L, Heide-Jørgensen MP, Ferguson S (2020) Abundance estimation from genetic mark-recapture data when not all sites are sampled: an example with the bowhead whale. Global Ecology and Conservation 22 https://doi.org/10.1016/j.gecco.2020.e00903
- Givens GH, Heide-Jørgensen MP (2020) Abundance. In *The Bowhead Whale: Balaena Mysticetus: Biology and Human Interactions*, eds. J.C. George J.G.M. Thewissen, 77-86
- Graham ZA, Garde E, Heide-Jørgensen MP, Palaoro AV (2020) The longer the better: evidence that narwhal tusks are sexually selected. Biology Letters 16: 20190950. http://dx.doi.org/10.1098/rsbl.2019.0950
- Heide-Jørgensen MP, Garde E, Hansen RG, Tervo OM, Sinding M-HS, Witting L, Marcoux M, Watt C, Kovacs KM, Reeves RR (2020) Narwhals require targeted conservation. Science 23 October 2020, Vol. 370 Iss 6515, p. 416.
- Heide-Jørgensen MP, Hansen RG, Shpak OV (2020) Distribution, migrations, and ecology of the Atlantic and the Okhotsk Sea populations. In *The Bowhead Whale: Balaena Mysticetus: Biology and Human Interactions*, eds. J.C. George J.G.M. Thewissen, 57-76
- Heide-Jørgensen MP, Blackwell SB, Williams TM, Sinding M-HS, Skovrind M, Tervo OM, Garde E, Hansen RG, Nielsen NH, Ngô MC, Ditlevsen S (2020) Some like it cold: Temperature dependent habitat selection by narwhals. Ecology and Evolution 2020; 10: 8073-8090. DOI: 10.1002/ece3.6464
- Kovacs KM, Lydersen C, Vacquiè-Garcia J, Shpak O, Glazov D, Heide-Jørgensen MP (2020) The endangered Spitsbergen bowhead whales secrets revealed after hundreds of years in hiding. Biology Letters 16:20200148. http://dx.doi.org/10.1098/rsbl.2020.0148
- Louis M, Skovrind M, Castruita JAS, Garilao C, Kaschner K, Gopalakrishnan S, Haile JS, Lydersen C, Kovacs KM, Garde E, Heide-Jørgensen MP, Postma L, Ferguson SH, Willerslev E, Lorenzen ED (2020) Influence of past climatic change on phylogeography and demographic history of narwhals. Proceedings of the Royal Society B 287: 20192964. http://dx.doi.org/10.1098/rspb.2019.2964
- Lydersen C, Vacquié-Garcia J, Heide-Jørgensen MP, Øien N, Guinet C, Kovacs K (2020) Autumn movements of fin whales (*Balaenoptera physalus*) from Svalbard, Norway, revealed by satellite tracking. Scientific Reports 10:16966, https://doi.org/10.1038/s41598-020-73996-z
- Morin P, Archer F, Avila C, Balacco J, Bukham Y, Chow W, Fedrigo O, Formenti G, Fronczek J, Fungtammasan A, Gulland F, Haase B, Heide-Jørgensen MP, Houck M. Howe K, Misuraca A, Mountcastle J, Musser W, Paez S, Pelan S, Phillippy A, Rhie A, Robinson JA, Rojas-Bracho L, Rowles T, Ryder O, Smith C, Stevenson S, Taylor B, Teilmann J, Torrance J, Wells R, Westgate A, Jarvis ED (2020)

- Reference genome and demographic history of the most endangered marine mammal, the vaquita. Molecular Ecology 2020;00:1-13, https://doi.org/10.1111/1755-0998.13284
- Olnes J, Citta J, Quakenbush L, George C, Harwood LA, Lea E, Heide-Jørgensen MP (2020) Use of the Alaskan Beaufort Sea by bowhead whales (*Balaena mysticetus*) tagged with satellite transmitters, 2006 2018. Arctic
- Rosing-Asvid A, Teilmann J, Olsen MT, Dietz R (2020) Deep diving harbor seals (*Phoca vitulina*) in South Greenland: movements, diving, haul-out and breeding activities described by telemetry. Polar Biology 43:359–368.
- Spaan KM, Noordenburg CV, Plassmann MM, Schultes L, Shaw S, Berger M, Heide-Jørgensen MP, Rosing-Asvid A, Granquist SM, Dietz R, Sonne C, Rigét F, Roos A, Benskin JP (2020) Fluorine Mass Balance and Suspect Screening in Marine Mammals from the Northern Hemisphere. Environmental Science & Technology 54 (7), 4046-4058. DOI: 10.1021/acs.est.9b06773. https://pubs.acs.org/doi/abs/10.1021/acs.est.9b06773
- Søltoft-Jensen A, Heide-Jørgensen MP, Ditlevsen S (2020) Modelling the sound production of narwhals using a point process framework with memory effects. Annals of Applied Statistics Vol. 14, No. 4, 2037-2052 doi.org/10.1214/20-AOAS1379
- Teilmann J, Agersted MD, Heide-Jørgensen MP (2020) A comparison of CTD satellite-linked tags for large cetaceans Bowhead whales as real-time autonomous sampling platforms. Deep–Sea Research I (157) 103213
- Tervo OM, Ditlevsen S, Ngô MC, Nielsen NH, Blackwell SB, Williams TM, Heide-Jørgensen MP (2020) Hunting by the stroke: How foraging drives diving behavior and swimming biomechanics of East-Greenland narwhals (*Monodon monoceros*). Frontiers of Marine Science.
- Ugarte F, Rosing-Asvid A, Heide-Jørgensen MP, Laidre KL (2020) Marine Mammals of the Greenland Seas. In: Goldstein, M.I., DellaSala, D.A. (Eds.), Encyclopedia of the World's Biomes, vol. 2. Elsevier, pp. 575–586. doi: https://doi.org/10.1016/B978-0-12-409548-9.12485-6
- Williams TM, Heide-Jørgensen MP, Pagano AM, Bryce M (2020) Hunters versus Hunted: New perspectives on the energetic costs of survival at the top of the food chain. Functional Ecology 34: 2015-2019. doi:10.1111/1365-2435.13649
- Witting, L. (2020) The natural selection of metabolism explains curvature in fossil body mass evolution. Evolutionary Biology 47:56-75. DOI 10.1007/s11692-020-09493-y

Meeting documents

- Garde E, Hansen RG, Heide-Jørgensen MP (2020) Narwhal hunting in Melville Bay, West Greenland, 2005 to 2019. JWG/2020/10.
- Garde E, Heide-Jørgensen MP (2020) Update on catch statistics for belugas, Delphinapterus leucas, in Greenland, 1993–2019. JWG/2020/12.
- Garde E, Heide-Jørgensen MP (2020) Update on catch statistics for narwhal, Monodon monoceros, in Greenland, 2005 to 2019. JWG/2020/11.
- Garde E (2020) Female narwhal age at sexual maturity. NAMMCO-JCNB/ JWG/2020/20
- Hansen RG, Borchers DL, Heide-Jørgensen MP (2020). Trends in abundance and distribution of narwhals (*Monodon monoceros*) on the summering grounds in Inglefield Bredning and Melville Bay, Greenland from 2007–2019. NAMMCO-JCNB/JWG/2020/17
- Heide-Jørgensen MP (2020) Abundance of narwhals in Inglefield Bredning in 1985 and 1986. NAMMCO-JCNB/JWG/2020/14

- Heide-Jørgensen MP (2020). Abundance of narwhals in Inglefield Bredning in 2001 and 2002. NAMMCO-JCNB/JWG/2020/18
- Heide-Jørgensen MP, Hansen RG (2020). Abundance of narwhals and belugas in the eastern part of the North Water in April 2018. NAMMCO-JCNB/JWG/2020/15
- Punt AE, Allison C, Witting L (2020) Consolidated testing of Strike Limit Algorithms for West and East Greenland common minke whales. IWC/SC/68/IST/06
- Rosing-Asvid (2020) Estimated consumption in the Greenland Sea by seals. Input to the ICES working group on integrated ecosystem assessment of the Greenland Sea.
- Rosing-Asvid (2020) Seals and polar bears in Northeast Greenland in relation to climate. Input to the Strategic environmental study plan for Northeast Greenland.
- Rosing-Asvid A (2020) Status of harbor seals in Greenland. Working paper for the NAMMCO Working group on coastal seals, 32 pp.
- Tervo OM, Hansen RG, Borchers D, Heide-Jørgensen MP (2020). Preliminary results on estimation of abundance of narwhals (*Monodon monoceros*) using density surface modelling. NAMCO-JCNB/JWG/2020/19
- Witting L (2020). Abundance matrix for the meta model in 2017 and 2020. NAMMCO-JCNB/ JWG/2020/21
- Witting L (2020) An assessment model for beluga in the North Water 2020. NAMMCO-JCNB/JWG/2020/06
- Witting L (2020) Assessment of beluga wintering off West Greenland 2020. NAMMCO-JCNB/JWG/2020/07
- Witting L (2020) Meta-population model for narwhals in East Canada and West Greenland 2020. NAMMCO-JCNB/JWG/2020/08
- Witting L (2020) Optimal meta population removals for narwhals in East Canada and West Greenland 2020. NAMMCO-JCNB/JWG/2020/09
- Witting L (2020) Harp seals in the Barents Sea/White Sea. NAMMCO/ICES Seal Modelling Workshop.
- Witting L (2020) A population model with selection-delayed dynamics for hooded seals in the Greenland Sea. NAMMCO/ICES Seal Modelling Workshop.

Reports and other written documents

- APNN (2020) 2020 kvoter for hvidhvaler og narhvaler. Nyhed fra d. 20. januar. https://naalakkersuisut.gl/da/Naalakkersuisut/Nyheder/2020/01/0301 Qilalugartassiissutit
- APNN (2020) 2021 National kvote for hvid- og narhvaler. Nyhed fra d. 21. december. https://naalakkersuisut.gl/da/Naalakkersuisut/Nyheder/2020/12/2112 nar hvid hvaler
- APNN (2020) 2021 Regionale kvoter for hvid- og narhvaler. Nyhed fra d. 23. december.

 https://naalakkersuisut.gl/da/Naalakkersuisut/Nyheder/2020/12/2312 Regionale kvoter Hvid narhvaler
- APNN (2020) Carry-over kvoter for sildepiskere for kvoteåret 2020 fra 2019. Nyhed fra d. 7. juli. https://naalakkersuisut.gl/da/Naalakkersuisut/Nyheder/2020/07/0707 Tikaagulliit
- APNN (2020) Fritstilling af resterende sildepiskerkvote til godkendte fartøjer og joller i Vest. Nyhed fra d. 16. december. https://naalakkersuisut.gl/da/Naalakkersuisut/Nyheder/2020/12/1612 fritstilling sildepisker
- APNN (2020) Genfordeling nr. 2 af sildepiskere 2020. Nyhed fra d. 23. oktober. https://naalakkersuisut.gl/da/Naalakkersuisut/Nyheder/2020/10/2310_sildepisker
- APNN (2020) Hvalros-kvoter for 2021. Nyhed fra d. 30. november. https://naalakkersuisut.gl/da/Naalakkersuisut/Nyheder/2020/11/3011 hvalroskvoter2021

- APNN (2020) Kvoten på narhvaler i Ittoqqortoormiit er opbrugt. Nyhed fra d. 29. september. https://naalakkersuisut.gl/da/Naalakkersuisut/Nyheder/2020/09/2909 opbrugt-kvote
- APNN (2020) Kvoten på narhvaler i Tasiilaq er opbrugt. Nyhed fra d. 27. april. https://naalakkersuisut.gl/da/Naalakkersuisut/Nyheder/2020/04/2704_narhvaler
- APNN (2020) Narhvalfangst i Upernavik by stoppes midlertidigt da nogle fangstmeldinger mangler. Nyhed fra d. 23. april. https://naalakkersuisut.gl/da/Naalakkersuisut/Nyheder/2020/04/2304 UPV-qilalukkat
- APNN (2020) Nationale kvoter for fangst af store hvaler 2021. Nyhed fra d. 21. december. https://naalakkersuisut.gl/da/Naalakkersuisut/Nyheder/2020/12/2112_store_hvaler
- APNN (2020) Overførsel af kvoter for sildepisker 2020. Nyhed ra d. 18. september. https://naalakkersuisut.gl/da/Naalakkersuisut/Nyheder/2020/09/1809 Sildepisker-2020
- APNN (2020) Regionale fordeling af kvoter for sildepisker for kvoteåret 2021. Nyhed fra d. 16. december. https://naalakkersuisut.gl/da/Naalakkersuisut/Nyheder/2020/12/1612_regionale_kvoter
- APNN (2020) Tildeling af ekstrakvote på narhvaler i Upernavik forvaltningsområde maj 2020. Nyhed fra d. 26. maj. https://naalakkersuisut.gl/da/Naalakkersuisut/Nyheder/2020/05/2605_narhvaler
- APNN (2020) Vedrørende øjeblikkelig stop for fangst af carry-over sildepiskere fra 2019 til 2020 i Vestgrønland for både fællesfangst og harpunkanonfangst. Nyhed fra d. 19. August. https://naalakkersuisut.gl/da/Naalakkersuisut/Nyheder/2020/08/1908 OejeblikkeligtStopSildepiskere
- Christensen PB, Høgslung S (2020) Nuup Kangerlua, exploring an Arctic fjord. ISBN 978-87-406-6546-8. 127 pp.
- GINR (2020) Cites non detriment findings for havpattedyr i Grønland 2020. Greenland Institute of Natural Resources. CITES Scientific Authority in Greenland. https://natur.gl/raadgivning/raadgivning-havpattedyr/
- GINR (2020) De fleste bestande af havpattedyr har det godt i Grønland med få undtagelser. Nyhed fra d. 26. juni. https://natur.gl/year/2020/de-fleste-bestande-af-havpattedyr-har-det-godt-i-groenland-med-faa-undtagelser/
- GINR (2020) NAMMCO udgiver opdateret viden om hvid- og narhvalbestande. Nyhed fra d. 15. september. https://natur.gl/year/2020/nammco-udgiver-opdateret-viden-om-hvid-og-narhvalbestande/
- GINR (2020) Naturinstituttet modtager stor bevilling til forskning i narhvaltænder. Nyhed fra d. 17. december. https://natur.gl/year/2020/naturinstituttet-modtager-stor-bevilling-til-forskning-i-narhvaltaender/
- GINR (2020) Narhvalens fortid og fremtid afsløret af DNA. Nyhed fra d. 28. april. https://natur.gl/year/2020/narhvalens-fortid-og-fremtid-afsloeret-af-dna/
- GINR (2020) Narhvalens lange tand: størrelsen er afgørende i dysten om hunner. Nyhed fra d. 19. marts. https://natur.gl/year/2020/narhvalens-lange-tand-stoerrelsen-er-afgoerende-i-dysten-om-hunner/
- GINR (2020) Narhvaltælling I Østgrønland, vinter 2020. Nyhed fra d. 12. februar. https://natur.gl/year/2020/narhval-taelling-i-oestgroenland-vinter-2020/
- GINR (2020) Notat fra Pinngortitaleriffik om narhval tælling i Østgrønland, vinter 2020. Notat til KNAPK fra d. 11. februar
- GINR (2020) Optællinger af dyr er for specialister. Nyhed fra d. 29. juli. https://natur.gl/year/2020/optaellinger-af-dyr-er-for-specialister/
- GINR (2020) Vintertælling af narhvaler og mørkning af grønlandshvaler udsat til næste år. Nyhed fra d. 28. april. https://natur.gl/year/2020/vintertaelling-af-narhvaler-og-maerkninger-af-groenlandshvaler-udsat-til-naeste-aar/
- Hansen RG (2020) Note on bowhead whales in East Greenland. Notat til selvstyret fra d. 11. maj

- Heide-Jørgensen MP, Ugarte, F (2020) Notat angående NAMMCO's "supertag" projekt. Notat til selvstyret fra d. 21. april
- Heide-Jørgensen MP, Ugarte, F (2020) Notat: Miljømæssige konsekvenser af Mary River projektet. Notat til selvstyret fra d. 16. januar. https://natur.gl/raadgivning/raadgivning-havpattedyr/
- Ugarte F (2020) Notat angående narhvaler i Melville Bugten og Østgrønland. Notat til selvstyre fra d. 26. oktober. https://natur.gl/raadgivning/raadgivning-havpattedyr/
- Ugarte F, Witting L (2020) Høringssvar: Kvoter for hvidhvaler og narhvaler i 2021. Høringssvar fra d. 23. oktober. https://natur.gl/raadgivning/raadgivning-havpattedyr/
- Ugarte F, Zinglersen K (2020) Notat fra Pinngortitaleriffik om pukkelhvaler i Godthåbsfjor-den, Notat til Sermersoog Kommune fra d. 28. februar

VI APPENDIX 1 – DATA REPORTING TO NAMMCO COMMITTEES

NEW this year is that all data requirements (catches, by-catch, entanglement, strandings, ship strikes, huntingand inspection efforts) for all NAMMCO committees are to be reported on the excel worksheets compiled in "NPR database (Country) 2020"

a. Short narrative

In the narrative, include any relevant information about how the different data were collected.

The catch data submission to NAMMCO had in its table no field for revision of previous submitted data as for other RFMOs. We expect it will follow same procedure as for other RFMOs, where information on any revision to previous years submitted data is part of the annual Progress Reporting.

Specifically for data on seals and small cetaceans the database LULI has in 2019 undergone a thorough technical cleanup due to a digitalization process. This has resulted in a revision of data on catches of seals and small cetaceans in Greenland previously submitted. Information and revised data has been submitted in the NPR for 2020.

b. Fill in Excel spreadsheet

SC has agreed on new Management Areas, described in the excel sheet, to be used in the reporting of catches of seals and whales.